

CLAIMS

I claim:

1. A metal lip jig rig, comprising:

a metal lip, a top portion and a bottom portion to help the metal lip jig rig sink when placed in water;

a punched out strap that is used to receive a fishing line;

a first aperture on the top portion of the metal lip to potentially rivet a first hook and a spinner wire to the metal lip jig rig;

a second aperture on the bottom portion of the metal lip to potentially receive and hold a second hook; and

a plurality of spurs on the area provided between the bottom portion and the top portion that can be wrapped around a third hook to potentially receive and hold the third hook.

2. The metal lip jig rig according to claim 1, wherein a first hook is riveted to the first aperture.

3. The metal lip jig rig according to claim 2, wherein the first hook is a weedless hook.

4. The metal lip jig rig according to claim 1, wherein the area between the bottom portion and the top portion is twisted 90 degrees.

5. The metal lip jig rig according to claim 4, wherein the second hook is provided at the second aperture.

6. The metal lip jig rig according to claim 4, wherein a lead line and a fourth hook are also provided at the second aperture.

7. The metal lip jig rig according to claim 1, wherein a first hook, a second hook and live bait are provided at the first aperture and the second aperture.

8. The metal lip jig rig according to claim 7, wherein a third hook, a second hook and artificial bait are provided at the plurality of spurs and the second aperture.

9. The metal lip jig rig according to claim 1, wherein a spinner wire at the first aperture and a second hook and feathers at the second aperture are provided.

10. The metal lip jig rig according to claim 9, wherein the area between the first aperture and the second aperture is provided with Chenalle wire and artificial eyes.

11. The metal lip jig rig according to claim 1, wherein the area between the first aperture and the second aperture is molded along a second hook provided at the second aperture.

12. The metal lip jig rig according to claim 11, wherein the area between the first aperture and the second aperture is provided with bait holders.

13. The metal lip jig rig according to claim 1, wherein the metal lip is teardrop-shaped.

14. The metal lip jig rig according to claim 1, wherein the metal lip is triangularly-shaped.

15. The metal lip jig rig according to claim 14, wherein the metal lip has beveled edges.

16. The metal lip jig rig according to claim 1, wherein the metal lip is made of non-toxic metal.

17. The metal lip jig rig according to claim 1, wherein the metal lip is replaced with a plastic lip.